A Very perfect Discourse and Order how to know the age of a Horse, and the Diseases that breede in him, with the remidies to cure the same:

AS ALSO,

The description of euery Veyne and how and when to let him blood, according to the diuersity of the Disease, as hath been proued by the Author.

L. W. C.

BIBLIOTECA NACIONAL

Imprinted at London by W. I.
for *Thomas Panier*.
1624.

50. d. 21 (2)

A

^

In this Diſcourſe, is firſt ſhewed how, and when, a Horſe ſhould be let blood, and to what end; and by what Signe a man may know whether it be requeſite or no. Secondly, in how many Veynes he may be let blood. Thirdly how to know his age. Fourthly, where all kind of Diſeaſes doe grow, and how to cure them.

How, and when a Horſe ſhould be let blood, and to what end; and by what ſigne a man may know whether it be requiſite or no.

FIrſt, to preſerue health, it is good to let him blood foure times a yeare: Firſt, in the ſpring about the beginning of May, becauſe the blood beginneth to increaſe: Secondly in September, becauſe the blood being then inflamed inequally, may euaporate or breake out: Thirdly, about the middeſt of December, to let out the groſſe & knotty blood: Fourthly, about the middeſt of March.

But I would not wiſh you to let a Horſe blood but once a yeare, and that in the beginning of May, within a fourtnight after his putting to graſſe; for then you ſhall let out the groſſe and old blood, and the new will come in his place: Except it be vpon great need, I would wiſh

you not to let him blood at all: for oft letting blood, causeth debility in the Horse, it hindreth the sight, and maketh the blood resort inwardly, which cloyeth the heart and intrals, and leaueth the outward parts destitute.

In how many Veines an Horse may be let Blood.

IN the first 2. Veines, are the Temple Veines, which be the principall Veines in the Head.
In the 2. eye Veines, which are easie to find in the Face of the Horse, somewhat beneth his Eyes.
In the 2. Pallet Veines in the Mouth.
In the 2. Neck Veines.
In the 2. Plate Veines which are in the Breast.
In the 2. Fore-head Veines.
In the 2. fore Shanke Veines before.
In the 2. fore Veines before.
In the 2. Side Veines, which may be called the Shanke Veines.
In the Mayle Veine.
In the Hanch Veine.
In the Hoxe Veine.
In the 2. fore Shanke Veines behind.

So by this account an Horse may be let Blood in 13. Veines: All which Veines, are easie enough to know, because euery one lyeth in a little Gutter, which you shall find by feeling with your finger.

If your Horse be pained with any grieke in his Head, Heauines, Frenzie, Falling euill, or such like, then it is good to let him Blood in the Temple Veine, with a Fleme.

If his Eyes be watrish, or Blood-shotten, or grieued with Pinne or Webbe, or Haw; then it is good to let him blood in the Eye Veine, with a Fleme.

If

If he haue any wearineſſe or heauineſſe of body, or be diſeaſed in the Throat with the Stranglings or Quinaſie, or ſwelling of the Arteres either within or without then it is good to let him Blood in the Pallet Veines in the mouth, with a Cornet.

If he be vexed with an Ague, or with any other Diſeaſe vniuerſall hurting his Body, then let him Blood in the Neck Veine.

If this griefe be in the Lunges, Liuer or anyother inward part: then let him blood in the breſt veynes; which we call (before) the Plate veynes.

If he be grieued in the Shoulders, then let him blood in the Fore-fæte veines aboue the Knée with a Launce, and that very warily: for that place is full of Sinewes.

If he be grieued in the Joynts, then let him Blood in the Shackle veines, and that very warily: for that place is full of Sinewes alſo.

If he be foiled in the Fore fæte with Foundering, or otherwiſe, then let him blood in the two veines (make way firſt with your Drawer, to come to your Veynes) in the Fore-fæte.

If he be diſeaſed in the Kidnies or Reines, Backe or belly, then let him blood in the flancke veines.

If he haue any griefe in his hips, then let him blood in the Tayle veine, or Hough veine.

If his hinder Legs be grieued, or Joynts, or Fæte: then let him blood on the Shackle veines, and on the two veines behind on the hinder Fæte,

To know the age Of a Horſe.

A Horſe hath fourty Teeth: the thirtieth Moneth after his Foaling he loſeth two aboue and two beneath: in the fourth yeare, he loſeth two aboue and two beneath: when he is fiue, he caſteth all the reſt both aboue and beneath. Thoſe that come firſt aboue, are hollow: when he is fiue, his hollow Teeth are filled vp; and in the ſeuenth, all the reſt are filled vp: then you may no longer iudge of his age by his Teeth.

To know where theſe Diſeaſes doe grow about the Horſe.

Bagges, is in the weakes of the Mouth.
Barbs, be two Teates growing vnder the Tongue.
Bottes, doe grow and breed in the Maw and Guts.
Bliſters on his body, commeth through heat and cold.
Canker, is in his mouth benomed, and will make his Tongue to haue Cliftes, and Scabbes in his vpper Lippes vnderneath, and are full of blacke weales or pimples, ſo that he can hardly eate his meate.
Coule Euill, is by rankines of water and blood: it will cauſe his Belly and Yard to ſwell.
Cloying, is in the Hoofe of the Forte.
Corus, is a ſlacke Sinew in the Legges before.
Curbs, is a ſwelling Sinew behind the Hoofe.
Crotches, is a ruffe ſcuffineſſe about the Fetterlocks.
Interfeering, is ſtriking on the ioynt aboue the Paſterne.
Farcion, or Farcie, is a Scabbe or Knobbes breaking in diuers places of his body, and commeth chiefeſly in the Veines.
Feuer, is a ſickneſſe taken with cold, and will cauſe him to ſhake.

Thiſtula

Thiſtula, is an old rotten ſore in his body.
Foundering, is taken in the body and Fæte alſo.
Fraying, is taken in the Body, Fæte and Legges, which is a ſtifneſſe comming onely with cold.
Prounce or Pimples, in the Pallet of his Mouth, Galling, or other hurt: and come eſpecially by eating of frozen Graſſe or Duſt.
Gigges or Flappes, are Pimples or Teats on the inſide of the mouth.
Glaunders, are Curnels vnder his Jawes: and when they are ripe, they will run at his Noſe, and ſo breake out.
Gorge, is a ſwelling of Blood on the Legges.
Graueling, is taken in the Fæte.
The Webbe in the Eye, or the Haw, which is a Griſtle growing on the Felme, which ſcowreth the Eye.
Hide-bound, is when the Skinne cleaueth to the fleſh and the Ribbes.
Hoofe-bound, is in the pinching of the Howſe.
Itch in the Tayle, is by exceſſe of blood.
Lampas, is the fleſh in the Mouth nie the vpper Teeth.
Mange, is taken by ſome Scabbe or byting.
Mallender, is a Scabbe in the bone of the Knées.
Molt-long, is the pinching of a ſtraight Howſe.
Mourning of the Chine, is a Waſting from the Backe or broken winded.
Navel-galled, is a ſore on his Backe againſt the Nauell, or an Impoſtume ſore.
Paines, is a ſoreneſſe about the Howſe, or Fote-locks.
Poule-euill, is on the Nape of the Neckes: and breedeth by ſtripes.
Pin, or Webbe, which couereth the beard of the Eye.
Rume, is taken by cold, and ſo his Teeth will ware loſe and ſome long, and then he cannot eate his meate, but

it

it will lye in lumpes, and about his Jawes.
Ring-bone, is a hard gristle about the Hoofe.
Quinasie, is sorenesse in the Throat.
Selander, is a Scabbe on the Hammes on the hinder Legges.
Shackle-galled, is on the Pastorne.
Spauin, is on the Joynt in the Hoofes behind.
Splent, is a splend sinnew aboue the fetterlocks.
Staggers, is a dosinesse in the Head, breeding of cold and of the Yellowes.
Stranglings, is a swelling in the Throat.
Stone in a Horse.
Surbating, is vnder the Soales of the Feete on the further side.
Viues, is a certaine Curnell vnder the Eares, or a Canker in the Mouth or Throat.
Wind-gals, are Bladders about the Fetterlocks.
Yellow, is a kind of Jaundies, and will cause the Eyes to looke yellow, and other parts of the body also.

Approued

Approoued Remedies for the curing of any kind of Disease, Hurt, Maine, or Malady in Horses.

For the Galling of a Horse.

TAke Butter Vineger and Bay salt, and melt them together, and lay on the Horse backe warme: then strow vpon it Sutt, or the poulder of a Clay wall.

Another for the same.

TAke ob. of Turmeracke, bruse it: a handfull of Bay-salt, and a handfull of Sutt, with two handfuls of Oatemeale, mingle it with Urine, & make it into a Cake as well as you can, & then vpon a hotte harth bake it till it be burnt blacke, then beat it into poulder: & when you haue washed your Horse Backe with Lee very hott or Chamber-lee, then strow on the Poulder: and when the poulder is almost gon, dresse it as aforesaid.

If it be festred, take Peese, Honey, the white of an Egge, an Sutte; mingle them together, and make a Playster thereof, and lay it to the dead flesh: then strow on Verdigreace, and renew it once a day.

Another for the same.

TAke a pottle of Vergis, two penny worth of græne Coparis, and boile it to a pint and a halfe: wash and search the hoale therewith, & fill the hole with red Lead, and so let it remaine three daies vntouched: then wash it with the same, and fill it againe with Red Lead: and so euery other day wash it with that Water, not made so

strong of the Coparis; and lay thereon red Lead. This will heale it though it be galled to the body.

Another for the same.

TAke of the strongest Beere a pint, put into a quarter of a pound of Allum, and halfe a handfull of Sage: seeth it to the one halfe; then take out the Sage leaues: This will heale any Canker or Soze in a Horse.

To heale any Cut in a Horse.

TAke a quarter of a pound of fresh Butter, of Tarre, & blacke Sope, halfe so much of each, & a litle Turpentine: boile them altogether (but the Sope,) and as soone as you take it from the fire, put in the sope; & then vse it.

For a Horse wrong in the wales.

TAke Butter and Salt, and boyle them together till they are blacke, then powre it on hott: then take vp a flake of Horse-dung that is hott, and lay it on the soze backe, and so dresse him till he be hole.

For fretting on the Belly, which commeth with gawling of the fore Gyrt.

THis commeth with the soze Gyrt, and it stoppeth ỳ Blod which is in the principall Veines, called the Plat-veines, which doe run length-waies: Take Oyle of Bayes, and Oyle of Balme, two ounces of Pitch, two ounces of Tarre one ounce of Rosen: mingle them all together, and annoynt the soze Bowels: then take Flare and lay vpon it, and seare it with a hot Iron: but take heede it be not too hott, for feare of burning.

For Thistulaes.

WHen you first perceiue it to swell, then scald it with Honey and Sharpes Shuet: but scald it very much, this will keepe it from breeding.

Then take and slit it in the neather end of the soze, & put as much Mercury Sublimatum as a Peaze, abate it with Sallet Oyle, laying it on with a Feather: after that take

take Verdigreace iiii. d. worth, Vitraell ob. Lead. iii d. worth, beat theſe together & euery day waſh the wound with Copris water made with Coprís and Elder leaues in Sommer, & with the inner græne Barke in Winter: after the waſhing, take the powder, and put it on the ſore: and after it, drop on a little Oyle.

An other for the ſame.

TAke the outtermoſt græne ſhells of Walnuts, & put them in a Tubbe, ſtrowing thær or foure handfull of Bay Salt vpon them, ſome on the bottombe, ſome in the middle, and ſome on the toppe, and ſo kæpe them all the yeare: and when you will vſe them, take a pint of them, and a little Bay ſalt, & halfe a quarter of a pound of blacke Sope, with halfe a ſpoonefull of Bay Butter (and for want thereof, other Butter) and incorporate them together: and then ſpread it on the Sore: but two howers before you lay it on, annoynt the Sore with a little Venus Turpentine.

A Medicine to kill the Thiſtula cleane.

TAke Vnguentum Egipſiacum which is made of Hony a pint, Vineger di. a pint, Allum a quarter of a pound, and Verdigreace i oz. di. and ſixth them altogether till they be thicke and a tawny colour; this is called Egipſiacum: And to make it the ſtrongeſt way, is to put Sublimat. i. oz. made in powder, and Arſnicke two ſcruples, and boile it togeather.

This ſtrongeſt is for Whiſtulaes, Cankers, and foule Sores, and the firſt may be vſed in the Mouth but not that which is made of Sublimatum, and Arſeencke; for they are poyſon.

A Tent to put into the hollow place of the Thiſtula.

TAke of Sublimatum well powdered, i. oz. the middeſt of well leauened bread ſlacke baked, iiii. oz. of Nenin

ſ. drammes; mingle them together with a little Roſe water and make Tents thereof, and drie them vpon a Tile: and then take it to your vſe.

To make a Lee for the ſame, or water to kill at the bottome.

TAke Lee, Hony, Roch-allum, and Mercury, & ſeeth them together: and apply it to the Thiſtula at the bottome thereof.

Alſo to dry a Thiſtula, take rew, Wine, Goats dung, and Beane flower, and ſeeth them together, and lay it on, and this will dry it vp.

To ſinke a Thiſtula.

TAke firſt and ſeare it with this marke ⊕. or ſuch like: and then take Roſſen, Sheeps tallow, & Brimſtone, and boile them together, and lay it on very hott with a Cloth: this will ſinke it downe againe. This is good alſo for a Windgall: take and pricke it out (but beware of Sinewes) and then lay it on; but not to hot, but very reſonably: and this will keepe it cleane.

For a Thiſtula in the Head.

TAke the iuce of Houſe-leeke, and dip a locke of woll in it, and put the locke of Wooll in his Eares, and bind it faſt: uſe this once a day.

An other for the ſame.

IF there be any inflamation in the Eares, or that it groweth to an Impoſtumation in that place, you ſhal boile the rootes of Mallowes in water till they ware tender, then bruſe them, and ſtraine out the water cleane: and being warme, giue it to the Horſe to drinck.

To know the Bottes.

WHen you thinke ỹ your Horſe hath the Bots, looke in his Mouth, and ſmell to his breath, for it will ſtinke, and his mouth will be full of ſlime.

To cure the Bottes.

TAke as much blacke Sope as a Walnut, as much Brimſtone beaten, and a little Garlike, and put it in good Ale, and giue it to the Horſe blood warme: But for a Mare with Foale, then take Brimſtone, Suttle, and Garlike, without Sope.

Take a handfull of new Hennes doung, and a quart of good ſtale drinke, and all to bray it with your hands: then take a good handfull of Bay-ſalt, and put two Egges to it, and bray them altogether, and giue it your Horſe to drincke in a Horne.

Another for the ſame.

TAke a pint of Milke, ob. of Saffron, ob. of Allum: beat them together, and giue it him to drinke.

To kill the wormes in the Maw.

TAke the crops of young Brome, and of Sauin and Grounſell, of each a quantitie: then chop them ſmall, and giue it him with his Prouender euening and morning: and let him not drink for a good ſpace after.

If he haue the long wormes, take milke, brimſtone, and Hony, and giue him to drinke.

For wormes in the Coddes.

TAke the Gutts of a young Pullet, and caſt it into his mouth faſting, & make him to ſwallow them downe: doe this three mornings together, but let him not drinke nor eate in fiue howers after.

ſome vſe to giue him freſh brome in his prouender, and ſalt water to drinke.

Others do giue him of greene Willow, or greene Reed to eate: and in diſgeſtion of the meate, he ſhall caſt out the Wormes.

An other for the ſame.

TAke the Garbidge of a young Henne or Pidgion while it is warme, rowle it firſt in a little Sope, and

after in bay-ſalt, and force it downe his throat : and it will helpe him. Probatum.

To know when a Horſe hath the wormes.

TAke vp his vpper Lippe, and you ſhall ſee many ſmall blew Veines, greater and bigger then the Worme Veines by a great deale.

For a Horſe that hath the Trunchions.

LEt him drinke Hennes dung, Mint, Sage, and Rue: and let him blod in the Noſtrils : or elſe giue him Sauin or Hotherwood to drinke; and it will cure him.

An other for the ſame.

TAke ob of Arment, ob of Hony, ob of Venitricke, ob godſkals Ale ; mingle them together, and tie vp the Horſes head on high, and giue it him to drinke with a horne.

For Bliſters.

TAke the iuce of ground Iuie, with ſo much brimſtone, a quantitie of Tarre, and ſo much Allum put it all together, and lay it to the ſore.

For the Barbs.

IF they grow long, they will hinder his feeding : they doe vſe to clip them with a paire of ſheares, and then waſh his Mouth with Water and Salt : and that will cure him.

For the Staggers.

YOu ſhall perceiue them by beating his head, and hee will be as though he were blind.

Take Garlike, Rue, and bay-ſalt, and beate them groſely, and put Vineger into it, and put it into the Horſes Eares ; and then wet woll in his Medicine, and ſtop his Eares therewith, and bind them cloſe, and let it be ſo viiii. howres, and then pull out his Tongue and waſh it with

with Vineger, to make him haue a good ſtomacke.

An other for the ſame.

FIrſt, take a wiſp of wet Hay, and burne it vnder his Noſe that the ſmoake may fume into his Head; then take halfe a handfull of Salandine, and as much Hearb-grace, three or foure cloues of Garlike, and a little Bay-ſalt, and ſtampe them together, and put thereto foure or fiue ſpoonefull of Vineger or Uergis: then crame it into the Horſes Eares, and tie the Eares cloſe that no ayer may come in: let it continue in his Eears a day and a night, and then let him blood.

Or elſe, take Rue and Sallandine, of each a like, and white Salt, and ſtampe them together, and put it into his Eares, and bind them vp for two howres.

An other for the ſame.

TAke Oyle of bittter Almonds, i. oz. di. of Ore Gall, two drams of blake Ellabar ſtamped, ob. of Graines, of Caſterum, of Vineger, and of Varnice v. Drammes: ſeeth them altogether till the Vineger be conſumed; then ſtraine them, and put it into his Eares.

For the paine in the Head, or Stifeling.

KEepe his Head warme, and let him drinke warme water mingled with Wheat-meale, or Fennel-ſeede and blow it into his Noſe with a Quill, and ſome pouder of Ellabar, or ſneeſing powder, mixed together with ſome Pepper: then take a pint of Malmeſie, the whites and yolkes of v. new laide Egges, one head of Garlike bruſed, ſmall Pepper, Sinamon and Nut megs beaten fine, and a quantitie of ſwet Butter: mingle them together, and giue it him to drinke three daies after: but let him not drinke in foure howres after.

For the Wanders.

TAke halfe a buſhell of Barly, and ſet on the fire in a Panne, and put thereto running water, and euer as the:

the water waſheth, put in more, ſo that the Barly be couered with water, and let it ſeeth till the Barly be broken: then take a little Porke or Backe, and put the Barly therein, and lay the ſame on the Horſe ridge, on length from the Maine to the Cropper, all hot: and let it lie till it be cold, and there let it lie a night and a day, and put the Horſe into a greene Yard ſome fruit howres: there he will wallow: and then take him in, and he will be whole.

For the Yellowes.

YOu ſhall know them by the white of his Eye, which will be yellow: or elſe by his Tongue, which will haue yellow Veines: or elſe put vp his vpper Lippe, and you ſhall ſee the Veines yellow.

Take two races of Turmericke, and ob. of Saffron, and put to it a pint of ſtrong beere or ale, and warme it blood warme, and giue it him.

An other for the ſame.

TAke Turmericke a cloue et di. et di. a dozen chines of Saffron, one or two Cloues, and fiue ſpoonefulls of Vineger or Vergis: and put in each Eare three ſpoonefulls, and ſtoppe his Eares with blacke wooll: and then tie them faſt vii. or viii. daies

An other for the ſame.

TAke long Pepper, Graines, Turmeracke, and Licoris, beaten in pouder: put them into ſtrong beere, and giue it him to drinke,

For the paines or Crotches, which cometh by heate, and the ſodaine cold vpon it.

THe Paines appeare aboue the Howfe: you ſhall know them by the Haire ſtanding right vp: you muſt take vp the Shackle-veines on both ſides, then take the ſoft Row of a red Herring, and Muſtard and blacke Sope, and

and boile theſe in Vineger, and make a plaſter, and lay it to the ſore.

There is no Vrine betweene the Paſterne and the Hoofe, but the Shanke Veine: and the Veine which ſerueth for the Crotches, muſt be taken vp on the inſide and the outſide.

Waſh it firſt with warme Vrine, then dry it with a Cloth, and clip away all the Hayres on the ſcabby place, then rubbe and chafe it all ouer, and make faſt his Foote, and rubbe the place grieued with Butter and Tarre boyling together vpon a Clout tied on a Sticks end, and bath it well therewith: vſe this once or twice a day, till it be whole.

Butter and Honey molten together, is good to annoint an Horſe for Paines, or Crotches.

Take a pound of Hogges greace, i.d. worth of Verdigreace, ii. oz of Muſtard, di. a pound of Oyle de bay, a quarter of a pound of Saruell, di. a pound of Honey, di. a pound of Engliſh Ware, i.oz. of Arſonicke, ii.oz. of red Lead, halfe a pint of Vineger: boyle all theſe together, and make an ointment of it: clipe the Horſes Legge bare, and lay this Medecine to it very hot.

For Courded Legges, or Scratches.

TAke vp the ſheines beneath the knee, and let him blood as much as you thinke good, then knit the Veine aboue and beneath, and annoynt the Legges with this Oyle, following.

Take Frankenſence, and Roſen, and freſh Greace, and boyle them together, and ſtraine it: and keepe it to your vſe.

A Drinke to raiſe a Horſe, or for a Horſe that is ſick.

TAke two penny-worth of Pepper, two penny-worth of Saffron, two penny-worth of Annis ſeedes, two penny-worth of Turmericke, a penny-worth of long Pepper, two penny-worth of Treacle, a penny-worth of Licoris, a good quantitie of penny royall and Arthangell; giue him theſe with the Yolkes of Egges in Wilke to drinke. And for Neate Cattle, giue theſe to drinke.

For a Scurfet Horſe.

TAke a quart of Beere or Ale, and ii. d. worth of Sallet Oyle, and as much Dragon water, a penny-worth of Treacle: make them warme vpon the Coales, and put in to it a penny-worth of Horſe Spices: and giue it him.

For a Hide-bound Horſe.

THis commeth by ouermuch working, ill dyeting, and naughty dreſſing, Take Feenne-cracke, Turmeracke, Annis ſeedes, Bayes, Licoris, and Commin: beate all theſe together, and giue him one ſpoonefull of all theſe in Ale or Beare blood warme. This is alſo good for the Cough: This will alſo keepe him from it, if you vſe to giue it him before the Diſeaſe commeth.

An other for the ſame.

TAke away ſome blood with a Felme, then giue him ſome warme Maſhes morning and euening, and giue him Malt ſodden in water together, or braune and water, or ſome Wheate ſodden with barly in water, and it will helpe him.

For the Hooſe-bound.

YOu ſhall raiſe the hooſe aboue from the toppe to the ſoale in foure or fiue places, that the Water may come out: Some doe raiſe it round with a ſharpe Knife, and a long downeward, and then rubbe it well with ſalt once or twice.

For a Looſe Horſe.

TAke Carre three ſpoonefull, of Roſen a quarter of a pound,

pound, of Tanſy, of Rue, of redde Mintes, of Mother-wood, each halfe a handfull: beate all them together in a morter, and put thereto halfe a pound of butter. i.d. worth of Virgins ware: then fry them all together. and bind it to the Howfe for vii. dayes, and it will cure him.

For a Brittle Hoofe.

IF your Horſe hath a brittle Howfe, it is becauſe it is to hott, or to dry, and doth ſtand dry in the Stable vnſtopped.

Take Ore-doung and temper it with Vineger. and binde it warme all ouer vnto the Fete, and vnder the ſoales of the Fete: on the nert day vſe him ſo againe; ſo vſe it for a weke together, and it will helpe him: vſe to ſtope his Fete with Ore or Cow doung, or his owne, and let him ſtand ſo a Moneth.

Or, take the fate of Bacon, and temper it with Turpentine, and annoynt his Fete therewith, which is very good.

A Medecine for the Cough, or Mourning in the Chine.

KEepe your Horſe meateleſſe ouer night, then take a pint and a halfe of Milke, three heades of Garlike pilled and ſtamped, boyle them to the halfe: giue it to your Horſe, and ſome at his Noſe, then runne him a quarter of a mile, then reſt him: and after that, run him three times more, euery time reſting him: then put him into a Stable, and kepe him very warme, and giue him no water till after none, then giue him good Meſh: and ſo vſe him with Meſhes three dayes, and giue him no water but alwaies warme, for three dayes.

An other for the ſame.

TAke Horſehound, Licoris, and Annis ſeeds in pouder, make balles thereof with freſh butter, and giue it your Horſe.

Another for the ſame.

TAke Wheat flower, Annis ſædes, and Licoris being ſtamped in a Morter, v. or vi. Cloues of garlicke being bruſed: mixe all theſe together, and make a Paſter of them, and rowle them in balles as bigge as a Walnut: then pull out his Tongue, and caſt them Balles downe his Throat three or foure of them at a time: and giue him two new laide Egges after them ſhels and all.

For the Glaunders.

TAke Swines grace cleane clarified, and as much Oyle of Bay as a Walnut: giue it him to drinke with faire water, luke warme.

Another for the ſame.

TAke of Ellacumpana, Annis ſædes, & Licoris, of each i. d. worth, boile them in three pints of ſtrong Ale or Beere, vnto two pints or leſſe: then put into it a quarter of a pint of Sallet Oyle, and giue it him to drinke blood warme,

Then take Euforbium in a quill, and blow it vp into his Noſe, and within three dayes after, take Muſtard, Vineger, and butter, and boyle them together: put thereto halfe an ounce of Pepper, and giue it him to drinke. Vſe the one Medicine one weeke, and the other another; and ride to worke him eaſily.

Another for the ſame.

TAke a quantitie of Annis ſædes, Licoris, and Elacompana roots; long Pepper and Garlicke, of each a like, with three Egges, and ſome butter, a quantity of Palmeſſe, and ſome ſtrong Ale, mixt together; & make it warme, and ſo giue it him, and keepe him warme.

Another for the ſame.

SEeth a handfull of pilled Garlike in Milke, and put a peece of butter thereto, and ſome Ale, and ſtirre them all together, and giue it him faſting, and ride him ſoftly a while

while after, and then, ſet him vp : but kéepe him warme nine daies after.

For the Strangies.

CVt him betwéene the Iawes, and take out the Kernels, and waſh the place euery day with béere & butter, & ſtop it vp as long as you can, & giue him new milke and Garlike to drinke, and the iuce of the leaues of birch withall; or in winter, the barke of birch : alſo ſmother him with the fume of Maſticke or Franckenſence.

For the Farſey.

TAke blacke Sope, Arſenicke, vnſlaked Lime, verdigreace, and red Lead : worke theſe together, and lay them to the ſore.

Another for the ſame.

TAke iii, dr. of Quickſiluer, and put it into a bladder, with two ſpoonefull of the iuce of Orenges or Lemmons and ſhake them together to cole the Quickſiluer : then take halfe a pound of freſh Hogs greace, and of Verges an ounce : put all theſe in Treéde diſh, and worke them well together : then annoint the knots with this Oyntment till they rot, then let them out with a ſharpe knife, and annoint them ſtill : and put into his Eares the iuce of Rag-weed, and they will dry vp, Probatum.

A drinke for the Farſey.

LEt him blood in the Necke of both ſides, foure fingers from the head, and giue him this drinke.

Take a gallon of faire Water, and put therein a good handfull of Rue, and a ſpoonefull of Hempſeed, and bruſe them in a morter all together, and ſeeth it till the halfe bee conſumed : and when it is cold, giue it him to drinke.

For the Farſey.

TAke blacke Sope, Muſtard made of ſharpe Wine or Vineger, and red Lead, mixe all theſe together, and annoint the Veignes all along, rubbe it ouer with an hot

Iron made of purpose, but very thicke: rubbe the Medecine much in with the Iron, being red hot.

To destroy the Farcy.

TAke iuce of Hemlocke a good quantitie, and bray them together, and put it into the Eares, and prick the knots and put in salt, and giue him drinke with swæte Wort, Fennell, and Treacle.

For a Horse Foote that is wronged in the Foote-locke.

SEeth a quart of brine till the Foame rise, then straine it and put thereto an handfull of Tansie, as much of Mallows, a saucerfull of Honey, and a quarter of a pound of Shæpes Tallow: stirre all these on the fire till the Hearbes are well sodden, and all hot, lay it to the Joynt, and then lay a cloth ouer it, and it will be whole in three dayes.

For a wrench in the Foot-locke.

TAke Pompilion, narwile, and blacke sope, of each a like, and heate them hot on the fire, and then annoynt him therewith.

For a Horse that is Stiffed or Hipped.

TAke a pound of Bole-armoniack, one quart of red wine vineger, vi. Egges beaten shells and all, two pennyworth of English Honey, as much Venus Turpentine, one quart of Flower, one good handfull of bay salt, and put all these in a pot, and keepe it close one night, and the next day apply some of it to the hurt, dressing it once a day for ix. dayes together.

For a Horse that is Foundered.

TAke Verdigreace, Turpentine, and Sallet Oyle, two or three spoonefull of Hogges greace, and bees wax i. oz. boile altogether, and so dip Flare or Tow in it, and stuffe his Fæte therewith, and let him blood in the Toes, and he shall be whole.

Another

Another for the ſame.

PLucke off his ſhoes, and pare hollow his fæte nigh to the quick, then race him with a croked Launce from the Hœle to the Toe in two or thræ places on both ſides of the Howfe, and let him bleed well: then clape two or thræ hard Egges to it as hard as he may ſuffer it: and as they cole, lay on more: and then lay hot Horſe doung vpon them and about his fæte, and he will ſone recouer if you giue him reſt

For a Horſe that is Foundered in his Feet.

TAke Tarre, Neats-foote Oyle, and the Yolkes of Egges, i. d worth of Verdigreace, and ſome Wheate Braune, and boyle theſe together, and bind them vnder his fæte very hot.

If he be Foundered in his body.

TAke ob. of Garlike ii, d. worth of the ponder of Pepper, ii, d. worth of the ponder of Ginger, ii. d. worth of Graines bruſed, and put into a bottle of ſtale Ale the beſt you can get, and giue it him to drinke, and Litter him to the Belly, and lay cloathes on him as many as he can beare: and let him blood on the ſides.

For Blindneſſe.

TAke two dry Tile-ſtones and rubbe them together, and blow the powder of it with a quill into his Eyes thræ or foure times.

For the Webbe in the Eye.

TAke the leane of a Gammon of Bacon, and dry it, and thereof make powder, and vſe the ponder, and it will cure it.

For the Pearle in the Eye.

TAke the iuce of ground Iue, the iuce of Sallandine, and womans Milke, and put it into the Eyes, and it will alſo cure him.

For

For the Maw in the Eyes.

MAke a Plaster of the iuce of ground Iuie, and of Iuie Berries stomped in a Mortor, beaten with wine or water: and plasterwise lay it on the Eye or Eyes euening and morning.

Another for the same.

SOme take a Needle and a duble Thread, and thrust the Needle through the Filme of the Eye wherein the Crush growith; which pull out, laying it on your fingers end, and holding the Needle, and the Thread straight, and so cut away the hard matter a penny breadth, But beware you cut not away the fatte, which is the wash of the Eye: neither cut the Filme wherein the Eye groweth; but cut betweene the Filme and the Crush, and then squirt in Beere.

For a Canker in the Eye.

TAke Roch Allum and greene Copris, of each a like boyle them in three pints of running water, vntill the one halfe be consumed, then take it from the fire, and once a day wash his Eyes therewith, being made luke warme.

For a stroke in the Eye.

LAy thereto the iuce of Smallage, Fennel, and the white of an Egge.

For a Windgall.

TAke and cut the Skinne, then take a spoonefull of Oyle de Bay, one spoonefull of Turpentine, i. d. worth of Verdigreace, the white of an Egge, and a quarter of an ounce of red Lead: boyle them together, and it will make a Salue, lay the same to the place where you did cut him. Probatum.

Another for the same.

FIrst clip off the Haire bare, then cut it the length of a Beane, and let it out: but beware of the Sinewes that you cut not them: then haue ready molten Rosen, sharpes

sheepes Tallow, and Brimstone, boyled together: then lay on this Medicine, but beware it be not to hot.

For the Spauin.

TAke Mustard seede, and Oyle de Bay, and Cow doung the rootes of Mallowes, a quantitie of Turpentine, or of Bolearmoniacke, beate them to powder, and worke them together, and bind them hot to the Spauin.

For the Blood Spauin, and Bone Spauin.

TAke vp the Veine aboue and beneath the Joynt, and let it bleed well, then knit vp the Veines, and annoynt them with butter till they be whole.

For the bone Spauin, pricke it with a sharpe pointed knife, then take a peece of candle, & lay a peece of browne Paper vpon it, and with a hot Iron melt the Tallow, and after anoynt it with butter.

For inflamation of the Coddes.

BOyle Grouncell in Wine and Vineger, and so bath him therewith, and vse to ride him into the water.

Another for the same.

TAe a quart of good Alewort, and set it on the fire, with the crummes of browne bread strongly leauoned, and a handfull of Comin (or more) in powder: make a Plaister of all these and Beane flower, and apply it to the greife as hot as it may be suffered.

Another for the same.

TAke a new Cow doung and seeth it in Milke, then make a Plaster, and lay it vpon the griefe as hot vpon the swelling as may be.

For swelling of the Coddes.

LEt him assaile a Mare, and giue him no prouender, and let him blood aboue the great Veine betweene ye Hippes, and lay thereto hard Egges in his owne doung, and make a plaister of the same, and lay it to the Coddes

and if it helpe him not, let him ſtand in the water halfe an howre.

For the Strangullion.

TAke bread, and bayes of Lozell, and temper them together with May butter, and giue him thereof three daies together, and he ſhall be whole.

For feſtring of the Sore.

TAke Lime and tough Horſe doung and temper them together with Pepper and the white of an Egge, and lay it to the ſore fiue daies, and it will cure him.

A drinke for the Stone.

TAke a pint of white wine, halfe a pint of burre ſeede, and beate them ſmall, ii oz. of Parſely ſeede, halfe a handfull of hiſop, halfe an oz. of blacke Sope mingle theſe together, and warme it, and giue it him.

For the Stone Collicke and Fret.

TAke vnſet Leekes and ſtampe them ſmall, and Sope, Milke and butter, and giue it the Horſe: it will make him piſſe.

For a Horſe that cannot Stale.

TAke a Nutmeg, and a handfull of Parſely ſeede beate them in powder, and a handfull of butter, and heate it in good Ale, and giue it him blod warme, and he ſhall ſtale at eaſe.

For the Sone, and to make him piſſe.

TAke the ſeede of Smallage, Parſely, Saxefrace, the the rotes of philipendula, Cherryſtone kirnels, Grunſell ſeedes, and broome ſeede, of euery one like much: make them in fine powder, & giue it him in white wine.

For a Horſe that cannot doung.

TAke a ri. leaues of Lozell, and ſtampe them in a Mozter, and giue it him to drinke in ſtrong ſtale Ale.

Make barly and ſeeth it in the iuce of Gunfolly, and giue him the barly to eate and the iuce to drinke.

Or elſe, take and let him blood and boyle the blood w̃ the powder of the pill of Pomgranats, and put in ſome wheate: then ſtraine it and giue it him to drinke three or foure mornings, but let him not trauell.

Take the powder of Licoris and Annis ſeedes, rouled vp in Hony and giue him three or foure balles of them at a time, pulling out his tongue: & putting it in his throat: It loſeth his breath, and ſetteth his wind at libertie, and purgeth the cold & ſtiffenelle, & expelleth the Glaunders.

Braſed Licoris, Annis ſeedes, Garlicke braied a little Saliet Oyle and Hony, giuen blood warme in ſpring cureth very many diſeaſes and keepeth him from more.

For a Horſe that is blowen with cold.

TAke a Hedgehogge and ſplit him, and take out his guts, and dry them vp in an Ouen vntill you make powder of them, giue it to your Horſe to drinke in a pint of ſtrong Ale, a part thereof: then take Balles of Annis ſeedes and Licoris rolled in butter, and caſt them down his throat, and waſh his Dates in good Ale or Beere; then take Comin, Annis ſeedes, Licoris, and Sentaire, and make powder of them, and ſtrew three ſpoonefull in his Dates, being moiſt: vſe this ſame viii dates.

Another, if he be purſey.

TAke Molline or Long wort, & make a powder thereof, and giue it him to drinke with water, and it will heale him.

Or you may take the Powder of Genſian at the Apothecaries, and that will heale him alſo.

For a Horſe pricked with a Naile.

TAke out the Hoſe till you come to the bottome, or Veine; then take Turpentine. i oz. Tarre i. oz. Pitch i. oz. Bake-ſuet i. oz. and one head of Garlicke: boyle them altogether, and lay them to it ſo hot as it may be ſuffered: and if it chaunce to breake out aboue the hoſe

then take the said Medicine, and annoynt it therewith.

To heale a Mangie Horse.

LEt him bleed on both sides his Necke, then cut the skinne in the middest of the Fore-head two fingers broad, then raise the skinne on both sides, and put in slices of Angellica rote, or Elacompana; leaue them till it rot, then thrust out the matter, but leaue the rotes they will come out as he healeth, annoynting the Mangie places with the powder of Brimstone and Verdigreace, mixed with Oyle Oliue.

Another for the same.

TAke Lampe Oyle, fine powder of Brimstone, of blacke Sope, Tarre, Barraw-hogges-greace and the Sutte of a Chimnie; of each alike, and then mixe them all together, and annoynt the place therewith so hot as may be suffered, and it will helpe him.

For the Mangie of a Dogge.

TAke Vineger, Gunpouder, blacke Sope, Brimstone, burnt Allum, and Verdigreace: boile all together w̄ Hony, and rubbe ouer the Mangie place.

For the Strangle-halt.

TAke vp the Maister-veine aboue the knee, and vnderneath the same veine lyeth a string, cut it away: then cut him below the Nostrils, and take away two Strings, and then annoynt him with Butter and salt.

For the Mares Euill.

TAke Milke, Date-meale, Mallowes, Wormewood, Horehound, and Smallage; wring these together with your hands, and boyle them together till they be soft, and lay it to the griefe, which will bring it to a head: then you must lance it; then take red Lead, burnt Allum, and Rosen, beate these to powder, and cast vpon it.

To

To take away the Bones, Knobbe, or Rieg-bones.

TAke a pound of ſtrong Lee and Sope, a quarter of Vitreall Romane i. oz. of Salarmoniake, as much of Roch allum; and boyle them together till they are thicke, and ſo vſe it for an Oyntment.

Giſplicum the ſtrongeſt kind, lay it to with Cotten three or foure times, will take it away. This is good alſo for a Splint: and though it bee a Thiſtula in the Crowne, it will ſinke it.

For the Powle-euill; which commeth of a Bruſe behind the Eares.

TAke a hot Iron, but firſt take vp the haire all the whole compaſſe, then ſeare it with a hot Iron, and then take red Lead and blacke Sope, and mingle them with water, and make it thicke, and annoynt him therewith till it be whole.

To make water for the ſame.

TAke a quart of water, halfe a pound of Roch-allum, iiii. d. worth of Mercurie, a quarter of a pound of Verdigreace: and when you ſee the Horſe rub his Head, waſh him with this water.

Another for the ſame.

LAy a Playſter of Hogges greace on, to ripe the place, and when it is ripe, launce it, and thruſt through a hot Iron, if it be very deepe, and keepe it open with Tentes made of a Spunge, and dip it in Hogges-greace: vſe this for foure daies; then take Turpentine, and the yolkes of Egges and Saffron, and mingle them together, and dippe your Tentes of Spunge therein, and be ſure they goe to the bottome, and playſter it with hogs-greace: and this will cure him.

For the Canker.

YOu muſt take out his Tongue, and let him bleed in fiue or ſixe places; and likewiſe on his vpper Lippe, that he may bleed well, and all berubbe his Tongue and Lippes with Salt: then the next day waſh his Tongue and Lippes with Vineger and rubbe it againe with Salt, and giue him warme drinke & new Beere a day or two.

For the Colecuill.

TAke the iuce of Hemlocke, and waſh his Yard and Coddes therewith.

Another for the ſame.

TAke Beane flower Vineger, and Bolarmoniacke and worke theſe together, and lay it to the Codde.

Another for the ſame.

YOu may waſh his ſhedde with warme Vineger, and draw forth his Yard, and waſh it alſo: then ride him into the water: let him ſwim, and there toſſe and turne him: vſe this two or three wekes.

For the Coying

IF he halt pull of his Shoe and open the place pricked, with a Knife, and powre in Turpentine, Ware, and Sheepes ſuet, being molten together: then cloſe it vp, and ſet on the Shoe againe: let him reſt, and come in no wet ground.

Some do vſe to burne the hole with an hot Iron, when they haue puld out the Naile; and ſome doe powre in boyled butter in the hole once a day, and it hath cured it.

Another for the ſame.

TAke a handfull of Nettles, of blacke Sope of Vineger, of each a ſpoonefull, and three times ſo much Boares greace or Bacon greace; then ſtampe them wel tegether, and ſtoppe the ſore therewith, and it will not rot any further, but heale, although you labour him.

Some doe ſtop vp the hole when they draw forth the Naile.

Naile, with Tallow and Horſe-doung, and then ſet on the Shoe.

For the Cordes.

THe cure is to ſlitte it, and with a Buckes horne to take it vp, and tie it in two places, and cut it away.

Another for the ſame.

TAke Muſtard, and Aquauitie, and Ballet Oyle, and boyle them on the coales, and make a Plaſter and binde it hot to the place. It is good alſo for any Straine, ſo it be new done.

Another for the ſame.

TAke the Groumds of Ale, and being made warme, bath his Legges therewith, and wiſpe him with a Hay rope.

An other for the ſame.

TAke Smallage, and an Hearbe called Dreye, and ſome Sheepes Suette: choppe them altogether, and boyle it in mens Urine, and bath the place therewith, and wet a Hay-band in it, and rowle vp the Leg therewith. Probatum.

For the Curbbes.

FRette his Legges with thy hand, and then take red Colwort leaues, and Burrage, and bray them together, and lay it thereto v. dayes.

Againſt ſtiffneſſe of Sinewes.

SEeth a pound of blacke Sope in a quart of ſtrong Ale till it loke like Tarre, and annoynt the Sinnewes therewith, and it will ſupple them, and bring them to the right courſe. It is good for a Man, if he be ſtiffe in the Joynts.

For Enterfeering.

HEe may be much holpen by ſhoting with a skilfull Smith: But if the Skinne be off take Hay Butter, with a quantitie of yellow Roſen, as much Marſell; then fry

ley them together in a Panne, and let it ſtand till it be cold, and put it into a Pot, and put it to a little new Cow dung and make Playſters thereof, and bind it to the place This will heale alſo the pricke of a Naile.

For the Naruell galled.

TAke Sutte of a Chimnie, and Peeſe mired together, and playſter it on: but ſhift it once a day.

An other for the ſame.

TAke Nettle ſeedes, and mire them with Sallet Oyle and annoynt the Soze, oz Chafing therewith.

Some doe vſe to waſh him with warme water, and then annoynt the place with Greace and Salt mired together.

An other for the ſame.

TAke hearbe Bittonie, Brimſtone in pouder of Ebbotie Pitch, and old Greace, and ſtampe them together: and when you haue waſhed him with Chamber-lee, annoynt him with this Medicine.

A water for a Galled backe,
or any foule Sore.

TAke a pottle of Varnice, iiii. d. penny worth of greene Coppris, and boyle it to the one halfe, oz moze, and waſh the Soze with that, and then fill the Soze with red Lead; and let it not be dreſſed of thze daies: and then dreſſe him againe, as you ſhall ſee cauſe.

For a Greene wound.

TAke white Wine and make it warme, and waſh the Wound therewith, then take Turpentine, Meſroſap, and a little Ware, and melt them together, being ſtirred continually till they are well mired, and then vſe it. If it be a cut, take tow and dippe it therein, and fill the wound with it: If it be a hole, make Tentes for the place.

Another

Another for the ſame.

TAke Hogges greace, and Venus Turpentine, melt them together: and if it be a Cutte, take Lint and dippe therein, and fill the Wound therewith. If it be a hole make Tents, and dreſſe it therewith.

For a hot Impoſtume in any outward part.

STampe Liuerwort, and mire it in the Crounds of Ale, Mallowes, and Hogges greace, being made hot, and lay thereto.

An other for the ſame.

BRuſe Lettis ſædes, and Poppie ſædes, and mire them with Dyle of Red-Roſes, and playſter-wiſe lay it on the ſore.

For a cold Impoſtume.

TAke the hearbe Balme, ſtamped and mired with Hogs greace, and Playſter-wiſe lay it to it.

Another for the ſame.

SEeth white Mint in Wine or Ale, with Dyle or Butter, and lay it hot to the place.

To ripe any Impoſtume.

SEeth Mallowes rootes, and Lilly rootes, and then bruſe them, and put thereto Hogges greace, and Linſæd meale: and playſter-wiſe lay it to it.

For the Kume.

LEt him bloodin the Veine vnder the Taile, and rub his Gummes with Sage tyed to a ſticks end, and giue him for a while, the tender crops of blacke Briers, in his Prouender.

For looſe Teeth.

PRicke the Gummes with a Knife, and then rubbe them with Hony, Sage, and Salt, beaten together. The Sorrell Horſe is moſt ſubiect to this Diſeaſe

For the Feauer.

LEt him blood in the Thigh in the middle Veins, foure fingers vnder his Tuell: or else, take the Veins in the Necke, and giue him a Drinke.

An other for the same.

TAke Water and Hony, the iuce of Purselaine, gum, Dragonet, and Frankensence in powder, with a few of Dammaske Roses, and mire them altogether, and giue it him to drinke.

An other for the same.

TAke of Germander iiii. oz. of Gumdraganet, and of dryed Roses, of each i. oz. beate them all in fine powder, and put them in a quart of good Ale, adding thereto Oyle Oliue iiii. oz. of Hony as much: and giue the Horse luke warme to drinke.

If he draweth his breath short, and sighteth withall, Let him blood in the Necke: and then take a pint of wine, with di. oz. of Sallet Oyle, and mire therewith Frankensence: and with the iii. part of the iuce of Pug-worth giue him to drinke.

For the Fronce.

YOu must cut or burne them out: then wash them w Beare and Salt, or Ale and Salt; so they goe away.

For the Gigges, or Flappes.

GIgges or Flappes, or Pimples, or Teates in the insides of the mouth: you must cure them as you cure the Camery or Fronce; either will helpe him.

It is good to pull out the Horses Tongue very often, for feare of breeding any Blisters or Blaines vnder his Tongue; or for feare of Hay-seed; which will breede to some of those diseases.

For the Gorge, or to bring Haire againe.

SCeare him with a hot Iron a handfull aboue the Knee: then rope him round about with a soft Rope of Hay,

and

and powze on cold water, and let it ſo remaine a night and a day.

To bring Haire againe.

TAke the young of Coates, ſome Hony, and Allum, the blood of a Ygoge: mire them all together, and beate them till they are ready to boyle: and being hot, rubbe the place therewith.

Or, take Nettle ſæde, Hony, and Salt, and bruiſe them together: and then rubbe the place.

Another for the ſame.

TAke the Soot of a Cauldron, mired with Hony and Oyle, and annoynt the place therewith.

Take grene Walnut ſhells, and burne them to pouder, and mire them with Hony, Oyle and Wine, and annoynt them therewith.

For Graueling.

THou ſhalt take off his Shoes, and pare out all the Grauell cleane (for if you leaue any Grauell, it will breed to a ſorenelle called a Quitter bone,) then muſt you ſtuffe him with Turpentine and Hogges greace melted together, and dipt in Tow or Flare, then clap on the Shooe, and kepe it ſtopped, and ſhift it euery day till it be whole, and let him goure to no wet: If you ſtoppe it not vp well, it will riſe aboue the Howſe: then you ſhall haue more buſineſſe, and put your Horſe to more paine.

For the Moltlong.

IF it is an ill ſorenelle aboue the Howſe, which will breed out in Knobs & bunches, with a watry humour.

If it be in Sommer, take blacke Snayles, and burre rootes, and beate them together, and lay it thereto.

If it be in Winter, take the ſcraping of the bottome of the ſhagges of the burre rootes, and put to it a handfull of the inner barke of Elder, and beate them together, and playſterwiſe lay it to.

Another for the same.

TAke Garlicke, Pepper, and Hony, and stampe them together, and annoynt his Tongue therewith, and thereof lay some to his Postornes.

To stoppe a Laske of a Horse.

TAke Beane flower, and Bolearmoniacke, of each a quart: mingle these together in a quart of Red Wine, and giue it him luke warme: let him rest & be kept warm: let him drinke no cold water, but luke warme: and put in Beane flower, and let him drinke but once a day, and not ouer much (for the space of three or foure dayes.

Another for the same.

TAke ob. of allum, beaten in fine pouder, and Bolearmoniacke, beaten small; and a quart of good Milke: mingle them together till the Milke be all of a curd, and giue it him to drinke, and dyet him as aforesaid: and this will stoppe him. Probatum.

For the Vines.

TAke Egremonie, Hony, and Violet leaues; stampe them together, and slitte the Sinew vnderneath the eare, and lay a Playster thereto three dayes.

For the Canker in the Nose or Mouth.

IF you see the Canker be of great heate, and burning in the Sore with exceeding paine, you shall take the iuce of Purselaine, Lettice, and Sorrell, or Night-shade, and wash the sore with a fine clout, or spout it on with a Squirt: and this will kill it.

Another for the same, most singular.

TAke Hyssop, Sage, and Rue, of each a good handfull, and seeth them in Urine and Water, to the third part of them: straine them out, and put in a little white Copris and Hony, and Aqua-vite, and so wash the place with it: (It is a singular thing to remoue the Polles,) which done, you shall make a water to heale it, as thus.

Take